

Blood Bank Centrifuge BC-2000



Description

Blood Bank Centrifuge BC-2000 spins sample volumes up to 12x15ml with maximum speed 5500 rpm. Driven by brushless DC motor. Auto-balancing centrifuge for blood bank is particularly designed for the quick centrifuge in blood bank with storages up to 9 programs records for users. For safety we introduced electronic door lock function and, imbalance detection, over-speed protection, inching function, short-spin function.

Specifications:

Model	BC-2000
Capacity	12x15ml
Max RCF	4300xg
Speed Range	5500 rpm
Noise	?60dB(A)
Shortest Time of Acceleration	?10S
Revolutions/min	±30 rpm
Timer	1 to 59s or 1 to 99 min/inching
Dimension	430x340x330 mm
Net Weight	25 kg
Electrical Requirement	AC 220V 50HZ 5A
Catalogue No.	1401900502

Technical:

Model	BC-2000
Capacity	12x15ml
Max RCF	4300xg
Speed Range	5500 rpm
Noise	?60dB(A)
Shortest Time of Acceleration	?10S
Revolutions/min	±30 rpm
Timer	1 to 59s or 1 to 99 min/inching
Dimension	430x340x330 mm
Net Weight	25 kg
Electrical Requirement	AC 220V 50HZ 5A
Catalogue No.	1401900502

Shipping:	2 - 3 weeks Delivery.
speed:	5500 rpm
maximum_temperature:	-
power:	-
capacity:	12x15ml

model:

BC-2000

Iris Analytical Ltd.

66 W Flagler St #900
Miami, Florida 33130
United States