

# Microhematocrit centrifuge MHC-1000



## Description

Microhematocrit centrifuge MHC-1000 compact and easy to use system. Determine hematocrit value and separate the micro-blood from micro-solution and provide protective functions of over-speed, maloperation and electronic interlock etc. for better safety.

## Specifications:

Model	MHC-1000
Capacity	24-place microhematocrit rotor
Max RCF	14800xg
Speed Range	12000 rpm
Noise	<65dB(A)
Revolutions/min	±50 rpm
Timer	1 to 99min
Power Consumption	250W
Dimension	265x335x220 mm
Packing Dimension	322x452x268 mm
Weight	11 kg
Electrical Requirement	AC220V±22V 50Hz 5A
Catalogue No.	1402400502

## Technical:

Model	MHC-1000
Capacity	24-place microhematocrit rotor
Max RCF	14800xg
Speed Range	12000 rpm
Noise	<65dB(A)
Revolutions/min	±50 rpm
Timer	1 to 99min
Power Consumption	250W
Dimension	265x335x220 mm
Packing Dimension	322x452x268 mm
Weight	11 kg
Electrical Requirement	AC220V±22V 50Hz 5A
Catalogue No.	1402400502

<b>Shipping:</b>	2 - 3 weeks Delivery.
<b>speed:</b>	12000 rpm
<b>maximum_temperature:</b>	-
<b>power:</b>	250w
<b>capacity:</b>	24-place microhematocrit rotor

model:

MHC-1000

## Iris Analytical Ltd.

66 W Flagler St #900  
Miami, Florida 33130  
United States