

Double Door Medical Refrigerator 2 to



Description

Double Door Medical Refrigerator 2 to 20°C UMR-2656D with dual-layer opening and 10 shelves for easy observation and storage of samples. The model comes with the same design and features as UMR-1000 having double doors instead. The maximum capacity of 662 L and defrost automatically.

Build-in inner fan-driven and forced-draft air circulation system provides excellent temperature uniformity. Build-in microprocessor controller to certify tolerances of internal temperatures. Equipped with buzzer and flashing lights, power failure alarm, doors open alarm, high and low-temperature alarm.

Technical:

Model	UMR-2656D	UMR-2700D
Capacity	662 L	997 L
Cabinet Type	Double door Upright	
Temperature Resolution	0.1°C	
Temperature Range	2 to 20°C	
Alarms	Power failure alarm, Temperature sensor failure alarm, High / Low temperature alarm, Door open alarm	
Refrigerant	Non HCFC	
Material	White plastic coated galvanised steel	
Shelves	10	
Internal Dimension	1100 x 454 x 1325 mm	1100 x 684 x 1325 mm
External Dimension	1220 x 642 x 1885 mm	1220 x 872 x 1885 mm
Weight	158 kg	207 kg
Electrical Requirement	AC220 V/ 50Hz	
Catalogue No.	500300502	500301002

Shipping:	2 - 3 weeks Delivery.
refrigerant:	Non HCFC
defrosting:	-
model_type:	Double door Upright
power:	-
temperature_range:	2 to 20C
capacity:	662 L
model:	UMR-2656D

Iris Analytical Ltd.

66 W Flagler St #900
Miami, Florida 33130
United States