

Low Temperature Upright Freezers -60?



Description

Low-Temperature Upright Freezers -60? LUF-1050 design for storage of product at low temperature, the available capacity 50 L with a temperature range of -25°C to -60°C by offering excellent temperature uniformity and stability.

Build-in inner door to avoid more cooling leaking out, and provide more stable inside temperature performance and complete temperature alarm system featuring. Used to stores vaccines, blood plasma, and many other biological products. Features with a cooling fan for instrument safety, durability, and endurance purpose. The range of upright freezers storage products will permit you to choose the perfect match to meet your requirements through cost and energy saving.

Technical:

Model	LUF-1050
Capacity	50 L
Temperature Range	-25 to 60?
Materials	Inner : Stainless steel; Outer: Color sprayed steel
Alarms	High/low temperature, Sensor error, Thermostat failure/
Cooling	Direct cooling
Type	Upright
Condenser	Copper tube and finned
Sensor	PTC
Refrigerant	CFC-Free
Evaporator	Submerged coil evaporator
Defrosting	Manual
Shelves	Yes
Casters	4
Compressor	SECOP/1
Temperature Controller	Microprocessor
Ambient Temperature	10 to 32?
Certification	"ISO9001?13485?14001,CE"
Power Consumption	420 W
Internal Dimension	361x429x406
External Dimension	540x620x1145
Net Weight	75 kg
Gross Weight	95 kg
Electrical Requirement	220V/50Hz
Catalogue No.	500500502

Shipping:	2 - 3 weeks Delivery.
refrigerant:	CFC-Free
defrosting:	Manual defrost
model_type:	Upright
power:	420 W

temperature_range:	-25 to 60?
capacity:	50 L
model:	LUF-1050

Iris Analytical Ltd.

66 W Flagler St #900
Miami, Florida 33130
United States