

Low Temperature Chest Freezers -60?



Description

Low-Temperature Chest Freezers -60? LCF-2485D design for large amounts of freezer storage, the available maximum capacities: 485 L with a temperature range of -25°C to -60°C by offering excellent temperature uniformity and stability.

Build-in inner door to avoid more cooling leaking out, and provide more stable inside temperature performance and complete temperature alarm system featuring. Used to stores vaccines, blood plasma, and many other biological products. Features cooling fan for instrument safety, durability, and endurance purpose. The range of medical freezers storage products will permit you to choose the perfect match to meet your requirements through cost and energy saving.

Technical:

Model	LCF-2105C	LCF-2485D
Capacity	105 L	485 L
Temperature Range	-25 to 60?	
Materials	Inner : Stainless steel; Outer: Color sprayed steel	
Alarms	High/low temperature, Sensor error, Thermostat failure	
Cooling	Direct cooling	
Class	Single door chest	Double door chest
Condenser	Copper tube and finned	
Sensor	PTC	
Refrigerator	CFC-Free	
Evaporator	Submerged coil evaporator	
Defrosting	Manual	
Casters	4 to 6	
Compressor	CUBIGEL/1	
Temperature Controller	Microprocessor	
Ambient Temperature	10 to 32?	
Certification	"ISO9001?13485?14001,CE"	
Power Consumption	280 W	450 W
Internal Dimension	480x380x665 mm	1455x525x665 mm
External Dimension	680x580x935 mm	1655x755x915 mm
Net Weight	62 kg	124 kg
Gross Weight	70 kg	138.5 kg
Electrical Requirement	220V/50Hz	
Catalogue No.	500600502	500601002

Shipping:	2 - 3 weeks Delivery.
refrigerant:	CFC-Free
defrosting:	Manual defrost
model_type:	Double door chest
power:	-
temperature_range:	-25 to -60?

capacity:	485 L
model:	LCF-2485D

Iris Analytical Ltd.

66 W Flagler St #900
Miami, Florida 33130
United States