

Ultra-Low Upright Freezers -86? UUF-3000



Description

Ultra-Low Upright Freezers -86? UUF-3000 suitable for blood stations, hospitals, health and epidemic prevention system, scientific research institutes, biological engineering, a laboratory in colleges and universities, military-industrial enterprises, etc. Available with maximum capacity up to 668 L. Microcomputer temperature control system to set the inner temperature at the range of -40 to -86°C.

Technical:

Model	UUF-3000	
Capacity	668 L	
Type	Chest	
Temperature Range	-40 to -86°C	
Materials	Internal: ss, External: Steel plates with spraying	
Alarms	High/Low temperature, High ambient temperature, Power failure , Low battery, Sensor error, System failure, Condenser cooling failure, Door ajar	
Cooling	Direct Cooling	
Display	Digital	
Refrigerant	Mixture Gas	
Defrosting	Manual	
Casters	6	
Ambient Temperature	16°C to 32°C	
Power Consumption	13.4 KW	
Internal Dimension	1200x581x610 mm	
External Dimension	2033x1190x1037 mm	
Net Weight	352 kg	
Gross Weight	438 kg	
Electrical Requirement	220V/50Hz	110V/60Hz
Catalogue No.	500950502	500950501

Shipping:	2 - 3 weeks Delivery.
refrigerant:	Mixed-gas
defrosting:	Manual
model_type:	Chest type
power:	13.4 KW
temperature_range:	-40 to -86C
capacity:	668 L
model:	UUF-3000

Iris Analytical Ltd.

**BIOLAB
SYSTEMS**

66 W Flagler St #900

Miami, Florida 33130

United States