

Gradient Thermal Cyclers TCG-2000



Description

Gradient Thermal Cyclers TCG-2000 has been used in Clinical detection in hospital, professional, expert. Accommodates 2 different wells including 96x0.2 ml, adaptive to 8-well strip PCR tubes and 96-well plates and this block is completely independently of each other and without interference. Fabricated for easy-to-use, compressed, and accurate thermal cyclers to fit every necessary PCR workflow.

Technical:

Model	TCG-2000
Capacity	96x0.2 ml, adaptive to 8-well strip PCR tubes and 96-well plates
Display	8 inch TFT
Temperature Range	4 to 100°C
Program Memory	10000+(USB Flash)
Temperature Control Pattern	Semiconductor TE
HOT lid	Electronic
Number of Cycle	100
Number of Step	30
Temperature Control	4
Temperature Adjustable Rate	0.1 to 5°C
Temperature Uniformity	± 0.2°C
Temperature Accuracy	± 0.1°C
Temperature Gradient Range	1 to 30°C
Hot Lid Temperature	30 to 110°C
Heating Rate	?5°C
Cooling Rate	?4°C
Operating System	WinCE
Connectivity	USB 2.0
Dimensions	380x240x260 mm
Weight	8.5 kg
Electrical Requirements	AC100 to 264 V/50Hz, 66 Hz
Catalogue No.	620200503

Shipping:	2 - 3 weeks Delivery.
number_of_cycle:	100
gradient_temp_range:	1 to 30C
power:	-
resolution:	-
temperature_range:	4 to 100C
capacity:	96.2 ml, adaptive to 8-well strip PCR tubes and 96-well plates

model:

TCG-2000

Iris Analytical Ltd.

66 W Flagler St #900
Miami, Florida 33130
United States