

Real-Time PCR System 1/2 Channel



Description

The Denver RTR-1010 real time PCR is applicable for real-time detection in farming, breeding, pasteurization, and water sources along with other useful application for detecting and diagnosis epidemic disease, inspection and quarantine in the field of food safety and R & D sectors.

RTR-1010 is fluorescence quantitative PCR types with Marlow custom peltier design.

Technical:

Model	RTR-1010	RTR-1020
Capacity	16x0.2 ml(2x8 well, dual block)	
Reaction Volume	10 to 100 µl	
Display	7 inch TFT Display	
Temperature Range	0 to 100°C	
Resolution	0.1 °C	
Uniformity	± 0.25 °C	
Accuracy	± 0.25 °C	
Temperature Control	Block/Tube	
Sensitivity	1 Copy	
Test Dynamic Range	1 to 10 ¹⁰ Copies	
Fluorescent Dye	F1:FAM/SYBR Green I, F2:HEX/VIC/JOE/TET	
Channel	Single Channel	Dual Channel
Ramping Rate	6 °C/s	
Hot Lid Temperature	30 to 115°C (Default 105°C)	
Excitation Wavelength	460 to 550 nm	
Emission Wavelength	F1: 520 to 540 nm	F1: 520 to 540 nm & F2: 540 to 580 nm
Detector	Photoelectric Detector	
Function	Absolute/Relative Quantifications/Melting curve/Genotyping	
Connectivity	Wi-Fi, USB2.0	
Power Consumption	250 W	
Dimensions	300x267x198 mm	
Weight	5.5 kg	
Electrical Requirements	DC15 V	
Catalogue No.	6205005-00	6205010-00

Shipping:	2 - 3 weeks Delivery.
number_of_cycle:	-
gradient_temp_range:	-
power:	250 W
resolution:	-
temperature_range:	0 to 100C

capacity:	16x0.2 ml(2x8 well, dual block)
model:	RTR-1010

Iris Analytical Ltd.

66 W Flagler St #900
Miami, Florida 33130
United States