

Top-loading Balances BT-3250S



Description

Top-loading Balances BT-3250S Series feature weighing capacities of 300 g, and readabilities of 0.01g. Some applications include weighing, counting, check weighing, weighing under unstable conditions, peek hold and percentage (%).

Denver top-loading balances are designed for routine weighing applications in your workplace, offering accuracy and repeatability during essential weighing applications in education, laboratory and, industrial sector. It delivers competitive performance at an economical price, featuring RS232 connectivity for easy communication, and a backlit display and a simple interface for uncomplicated operation, these balances are perfectly designed for your workplace.

Standard features include Basic functionality for routine weighing applications. Equipped with three essential weighing modes, RS232 connectivity for data transfer and storage and internal calibration (in selected models) making them ideal for routine weighing applications.

Designed for uncomplicated operation with easy-to-use display and interface Equipped with an easy-to-read, bright backlit display and a simple user interface, they are incredBTy easy to operate, with almost no training required.

Smart design and durable construction Denver top pan balances have a small footprint which saves on benchtop space while providing a large weighing surface. They are durably constructed, and feature a stainless-steel pan to withstand day-to-day use in the workplace.

Technical:

Model	BT-3050S	BT-3150S	BT-3250S	BT-3350S	BT-3450S	BT-3550S	BT-3650S							
Capacity	100 g	200 g	300 g	500 g	600 g	1000 g	2000 g							
Display	LCD													
Readability	0.01g													
Pan Dimension	130 mm													
Measuring Parameters	g, ct, oz, lb, GN, %, pcs													
Interface	RS232													
Packing Dimension	330x280x150 mm													
Gross Weight	3 kg													
Electrical Requirement	220V	110V	220V	110V	220V	110V	220V	110V	220V	110V	220V	110V	220V	110V

ment														
Catal	680	6801	6801	6801201001	6801	680120150	6801	680120200	6801	680120250	6801	680120300	6801	6801
ogue	1200	2005	2010		2015	1	2020	1	2025	1	2030	1	2035	2035
No.	502	01	02		02		02		02		02		02	01

Shipping:	2 - 3 weeks Delivery.
pan_dimension:	130 mm
calibration:	-
reproducibility:	0.01g
resolution:	-
capacity:	300 g
model:	BT-3250S

Iris Analytical Ltd.

66 W Flagler St #900
Miami, Florida 33130
United States