

# Top-loading Balances BT-5500S



## Description

Top-loading Balances BT-5500S feature weighing capacities of 1000 g and readabilities of 0.1g. Some applications include weighing, counting, check weighing, weighing under unstable conditions, peek hold and percentage (%).

Denver top-loading balances are designed for routine weighing applications in your workplace, offering accuracy and repeatability during essential weighing applications in education, laboratory and, industrial sector. It delivers competitive performance at an economical price, featuring RS232 connectivity for easy communication, and a backlit display and a simple interface for uncomplicated operation, these balances are perfectly designed for your workplace.

Standard features include Basic functionality for routine weighing applications. Equipped with three essential weighing modes, RS232 connectivity for data transfer and storage and internal calibration (in selected models) making them ideal for routine weighing applications.

Designed for uncomplicated operation with easy-to-use display and interface Equipped with an easy-to-read, bright backlit display and a simple user interface, they are incredBTy easy to operate, with almost no training required.

Smart design and durable construction Denver top pan balances have a small footprint which saves on benchtop space while providing a large weighing surface. They are durably constructed, and feature a stainless-steel pan to withstand day-to-day use in the workplace.

## Technical:

Model	BT-5500S		BT-5600S		BT-5700S		BT-5800S		BT-5900S	
Capacity	1000 g		2000 g		3000 g		5000 g		6000 g	
Display	LCD									
Readability	0.1 g									
Pan Dimension	160 mm									
Function	Unit Transforms, Counting, Percentage									
Interface	RS232									
Packing Dimension	330x280x150 mm									
Gross Weight	3 kg									
Electrical Requirement	220V	110V	220V	110V	220V	110V	220V	110V	220V	110V
Catalogue No.	680130050 2	680130050 1	680130100 2	680130100 1	680130150 2	680130150 1	680130200 2	680130200 1	680130250 2	680130250 1

<b>Shipping:</b>	2 - 3 weeks Delivery.
<b>pan_dimension:</b>	160 mm
<b>calibration:</b>	-
<b>reproducibility:</b>	0.1g
<b>resolution:</b>	-
<b>capacity:</b>	1000 g

model:

BT-5500S

## Iris Analytical Ltd.

66 W Flagler St #900  
Miami, Florida 33130  
United States